Figure 1. DNA and amino acid sequences of the mouse 21.6 light chain variable region.


		tac	gagg	cgg	ıgga	cga	gtc	taa	aaa	cct	aag	aad	cad	gtc	-+			+-			+	60		
ACTAG	TCG	CATO	BAGG	GCC A 4 P	CCI	GCT	CAG	TTT	TTI C	CGC	TTC A	TTC	3-3	,					[M	R	P,	-		
	61	gto	tat	tca	gtt	cct	9 99	gct	ctt	gtt	gtt	cto	ggct	tca	atg	gtgo	ctca	gtç	ıtga	cat				
	0,		jata	agt	caa					caa									act	gta		120		
		s	I	Q	F	L	G Le	L ade	L r	L	F	W	L	н	G	A	Q	CJ	[D	I	Q	-		
	121	gat	gatgacacagtctccatcctcactgtctgcatctctgggaggcaaagtcaccatcacttg													180								
			ctactgtgtcagaggtaggagtgacagacgtagagaccctccgtttcagtggtagtgaac													100								
		М	T	Q	S	P	s	S	L	S FR1	A	s	L	G	G	ĸ	v	T	I	T	cj	-		
	181	caa	caagacaagccaagacattaacaagtatatggcttggtaccaacacaagcctggaaaacg																					
	201		ctg	ttc	ggt	tot	gtaa	att	gtt	cat	ata	ccg	aac	cat	ggt	tgt	gtt	cġg	acc	ttt	tgc	240		
	241 ,301	[K	T	S	_	D CDR	1 1	N	K	Y	М	ΑJ	[W	Y	Q	Н	K	P	G F	K R2	R	-		
		tcctaggctgctcatacattacacatctgcattacagccaggcatcccatcaaggttcag											300											
			atc	cga	cga	gtat	cgta	aato								gta	9 99	tag	ttc	caa	gtc			
		P	R	L	L	I	н} [[Y	T		A DR2	L	Q	P]	[G	I	P	s	R	F	s	-		
		tgg	tggaagtgggtctgggagagattattccttcaacatcagcaacctggagcctgaagatat													360								
		acc.	accttcacccagaccctctctaataaggaagttgtagtcgttggacctcggacttctata																					
		G	s	G	S	G	R	D	Y 1	S FR3	F	N	I	s	N	L	E	P	E	D	I	-		
	261	tgc	aact	tat	tat	tgt	cta	caç	tat	tgat	aat	ct	gtg	gac	gtt	cgg.	tgga	agg	caco	caaç	gct			
/	361	acgi	ttga	ata	ata	aca	gat	gto	ata	acta	tta	ga	cac	ctg	+	gcc	acci	-+-	gtg	gtto		420		
_		A	T	Y	Y	c) [L	Q	Y CDF		N	L	W	T]	[F	G	G	G 1	T PR4	K	L	-		
	421	ggaa	aato	aaa	cgc	gct	gat	gct	gca	ıcca	act	gta	atco	GTA(GAA(GG:	Kapı IGG1 acca	CAGO	TGO	GCC	ga			
		cctt	tag													gggt	ggt	age	tgc	gcc		480		
		E	I	кј																				
		AGG-	·5 ′																					
	481	agg	483		•																			

Figure 2. DNA and amino acid sequences of the mouse 21.6 heavy chain variable region.

1			+-			+				-+			-+-			+			agag + tctc	60								
ACTAGTCGA							CT					,		_			•	_										
	MRV	l Pri		-			G												•									
		k c	S	W	v	М	F	F Lead	L ler	М	A	v	v	T	G	v	N	s j	(E	-								
	atta	ranct		aca	ate	+ 00		-20:	act	-+	~~>			~~~	c+ c	aat	~==	a++	atcc									
61			+-			+				-+	.gaa		-+-			+			gtcc +	120								
	caaç	gtcga	acgt	cgt	cag	acc	ccq	gtct	cga	aaca	ctt	cgg	tcc	ccg	gag	tca	gtt	caa	cagg									
	v c	2 L	0	0	s	G	Α	E	L	v	ĸ	P	G	A	s	v	ĸ	L	s	_								
	_	_	_	_						F	R1	_																
	taca	acado	etto	:taa	ctt	caa	cat	taa	aga	cac	cta	tat	aca	cta	tat	gaa	aca	gag	acct									
121		tgcacagcttctggcttcaacattaaagacacctatatacactgtgtgaagcagaggcct													180													
	acgt	gtc	gaag	acc	gaa	gtt	gta	att	tct	gtg	gat	ata	tgt	gac	aca	ctt	cgt	ctc	cgga	ı								
	CI	A 2	s	G	F	N	I	КJ	[D	T	Y	I	нј	[C	v	K	Q	R	P	-								
										С	DR1																	
	gaac	gaacagggcctggagtggattggaaggattgatcctgcgaatggttatactaaatatgac																										
181		24(cccggacctcacctaaccttcctaactaggacgcttaccaatatgatttatactg												240														
	cttg	judde	gga	CCC	Cac	Cta	acc	יבבכ	Cta	iact	agg	acg	Ctt	acc	aat	atg	att	cac	actg									
	E Q	FR2	L	E	W	I	G	[R	I	D	P	A	N	G	Y CD	T R2	K	Y	D	-								
	ccgaagttccagggcaaggccactataacagctgacacatcctccaacacagcctacctg																											
241			-+-			+				+			-+-			+			+ 300									
	ggct	ccaa	ggc		guu	ccy	grg	aca	ccg	iceg	act	gtg	Lay	gag	gee	gcg	ccg.	gati	ggac									
	P K	F	Q	G]	[K	A	T	I	T	A	D	T	S	s	N	T	A	Y	L	-								
301	cageteageageetgacatetgaggacaetgeegtetatttetgtgetagagagggatat													360														
301	gtcgagtcgtcggactgtagactcctgtgacggcagataaagacacgatctctccctata																											
		_								9	J	.		,														
	Q L	S PR3	S	L	T	S	E	D	T	A	V	Y	F	С	A	R]	(E	G	Y	-								
361	tatg	gtaa	cta	cgg	ggt	cta	tgc	tat	gga	cta	ctg	9 991	tca	agga	aac	ctca	agto	cac	cgtc	420								
301	ataccattgatgccccagatacgatacctgatgaccccagttccttggagtcagtgg												gcag	420														
	Y G		I	G	٧	I	A	M	ט	ΥJ	[W	G	Q	G	Т	S F1		T	V	-								
											_		_				-											
						3	′ -G			Se (AGG-	-5′											
	tcct	3'-GTAGACAGATAGGTGACCGGGCCCTAGG-5' tcctcagccaaaacgacaccccatctgtctatccactggcccgggatcc																										
	aggagtcggttttgctgtgggggtagacagataggtgaccgggcctagg																											
421			-+			+-				+			-+			+	470)										
421		gtcg	-+			+-				+			-+			+	470											

Figure 3. Mammalian cell expression vectors used to produce chimeric and reshaped human antibodies with human kappa light chains and human gamma-1 heavy chains.

A. Light chain expression vector.



B. Heavy chain expression vector.




Figure 4. ELISA testing the ability of chimeric 21.6 antibody to bind to L cells expressing human $\alpha 4\beta 1$ integrin on their surface.




Figure 5. A view of the molecular model of the variable regions of mouse 21.6 antibody.




Figure 6. Comparisons of the amino acid sequences of mouse and reshaped human 21.6 light chain variable regions.

FR1	CDR1	FR2	CDR2
1 2	3	4	5
12345678901234567890123		567890123456789	0123456
*	*****	*	***
DIQMTQSPSSLSASLGGKVTITC	KTSQDINKYMA	WYQHKPGKRPRLLIH	YTSALQP
DIQMTQSPSSLSASVGDRVTITC	QASQDIIKYLN	WYQQTPGKAPKLLIY	EASNLQA
DIOMTOSPSSLSASVGDRVTITO	KTSODINKYMA	WYOOTPGKAPRLLIH	YTSALOP
			-
		R	
	1 2 12345678901234567890123 * DIQMTQSPSSLSASLGGKVTITC DIQMTQSPSSLSASVGDRVTITC DIQMTQSPSSLSASVGDRVTITC	1 2 3 12345678901234567890123 45678901234 * DIQMTQSPSSLSASLGGKVTITC KTSQDINKYMA DIQMTQSPSSLSASVGDRVTITC QASQDIIKYLN	1 2 3 4 12345678901234567890123 45678901234 567890123456789 ************ DIQMTQSPSSLSASLGGKVTITC KTSQDINKYMA WYQHKPGKRPRLLIH DIQMTQSPSSLSASVGDRVTITC QASQDIIKYLN WYQQTPGKAPKLLIY DIQMTQSPSSLSASVGDRVTITC KTSQDINKYMA WYQQTPGKAPRLLIH

Figure 7. Comparisons of the amino acid sequences of the mouse and reshaped human 21.6 heavy chain variable regions.

	FR1	CDR1	FR2		CDR2
	1 2 3 123456789012345678901234567890	12345	67890123456	789	012A3456789012345
21.6	EVQLQQSGAELVKPGASVKLSCTASGFNIK	DTYIH	CVKQRPEQGLE	WIG	RIDPANGYTKYDPKFQG
2*CL	QVQLVQSGAEVKKPGASVKVSCKASGYTFT	SYAMH	WVRQAPGQRLE	WMG	WINAGNGNTKYSQKFQG
На	QVQLVQSGAEVKKPGASVKVSCKASG <u>FNIK</u>	DTYIH	WVRQAPGQRLE	WMG	RIDPANGYTKYDPKFQG
Нb	FNIK		G		
Hc	FNIK				
	FR3		CDR3	FF	R4
	7 8 9 67890123456789012ABC3456789012	34 567	10 B90ABCDEF12	3456	11 57890123
21.6	** KATITADTSSNTAYLQLSSLTSEDTAVYFC	*			
2*CL	RVTITRDTSASTAYMELSSLRSEDTAVYYC	AR GGY	YGSGSNY	WGQC	GTLVTVSS
Ha	RVTIT <u>A</u> DTSASTAYMELSSLRSEDTAVYYC	AR EGY	YGNYGVYAMDY	WGQC	STLVTVSS
Hb	A				
ĦС	A		F		

Figure 8. Diagram of the PCR-based construction of version "a" of reshaped human 21.6 light chain variable region.




Figure 9. Diagram of the PCR-based construction of version "a" of reshaped human 21.6 heavy chain variable region.






Figure 10. DNA and amino acid sequences of the first version ("a") of reshaped human 21.6 light chain variable region.









Figure 12. ELISA testing the ability of chimeric and reshaped human 21.6 antibodies to bind to L cells expressing human $\alpha 4\beta 1$ integrin on their surface.

Panel A. Analysis of reshaped human 21.6 antibody (La + Ha).



Panel B. Analysis of reshaped human 21.6 antibody (La + Hc).

